11th International Conference on Hard and Electromagnetic Probes of High-Energy Nuclear Collisions



Beitrag ID: 293

Typ: Talk

Radiative energy loss of heavy quark through soft gluon emission in QGP

Dienstag, 28. März 2023 10:00 (20 Minuten)

The Low's theorem is applied to the soft gluon emission from heavy quark scattering in quark-gluon plasma (QGP). The QGP is described by the DQPM (Dynamical QuasiParticle Model) which reproduces the EoS from lQCD at finite temperature and chemical potential. We show that if the emitted gluon is soft and of long wavelength, the scattering amplitude can be factorized into the scattering part and the emission part and the Slavnov-Taylor identities are satisfied in the leading order. Imposing a proper upper limit on the emitted gluon energy, we obtain the scattering cross sections of charm quark as well as the transport coefficients (momentum drag and diffusion) in the QGP with and without gluon emission.

Experiment/Theory

Theory/Phenomenology

Affiliation

GSI

Hauptautoren: SONG, Taesoo (GSI); GRISHMANOVSKII, Ilia (ITP, Frankfurt); Dr. SOLOVEVA, Olga (Helmholtz Research Academy Hesse for FAIR); BRATKOVSKAYA, Elena (GSI, Darmstadt & Goethe University, Frankfurt)

Vortragende(r): SONG, Taesoo (GSI)

Sitzung Einordnung: Parallel: Heavy Flavours & Quarkonia

Track Klassifizierung: Heavy flavor and quarkonia