



Beitrag ID: 11

Typ: Talk

## Dynamic wetting phenomena and contact angle hysteresis on polymer brushes and gels

*Dienstag, 9. November 2021 11:00 (20 Minuten)*

Droplet mobility on surfaces is achieved by polymeric coatings, in form of gels or brushes, both holding some mobile (free, i.e., un-crosslinked or un-grafted) polymer chains. In the presence of droplets, these free chains accumulate around the three-phase contact line, leading to contact lubrication and wetting ridge formation. The investigation of free chains and understanding their influence on the wetting behaviour is challenging: time and length scales are small ( $<1$  nm, milliseconds) for free chains but huge for droplets ( $>1$  mm, seconds). To bridge the gap between scales, we combine experimental and computational methods and tackle the problem from both ends; Dissipative Particle Dynamics simulations provide insights into the migration of free chains. Confocal laser scanning microscopy and interferometry enable wetting experiments with resolution around  $0.1\text{ }\mu\text{m}$  and extensive time resolutions for dynamic measurements. We match simulation and experiments by comparing interfacial energies, wetting ridges, and friction force measurement. The latter is facilitated experimentally by a novel, optical force sensor with a resolution of one micro-Newton. Friction forces can be tuned by droplet speed and surface lubrication (i.e., number of free chains). Finally, we discuss some open questions.

**Hauptautoren:** HAUER, Lukas (Max Planck Institute for Polymer Research); BADR, Rodrique (Institut für Physik, Johannes Gutenberg-Universität Mainz); Prof. VOLLMER, Doris (Max Planck Institute for Polymer Research); Prof. SCHMID, Friederike (Institut für Physik, Johannes Gutenberg-Universität Mainz)

**Vortragende:** HAUER, Lukas (Max Planck Institute for Polymer Research); BADR, Rodrique (Institut für Physik, Johannes Gutenberg-Universität Mainz)

**Sitzung Einordnung:** Short talks